

UM327

Bench

Minsk

By BRC Design © ® BENITO

Controled logging

Graffiti protector

Regulations and certifications:

ISO 9001 ISO 50001 ISO 14001 ISO 45001

MINSK design Bench , overall dimensions (length x height x depth) 1800x820x590 mm, manufactured with ductile iron legs (treated with the Ferrus triple-layer protective process for iron, guaranteeing optimal corrosion resistance). Finished with epoxy primer and polyester powder coating in a marson color. Five natural tropical hardwood planks (treated with Lignus triple-layer coating, a fungicidal, insecticidal, and water-repellent protective agent). Wrap-around cast iron frame to protect the plank fixings from potential impacts. Stainless steel screws. Prepared for anchoring with M10 expansion bolts depending on the surface and project.



Ref.	A	B	C	H	H1
UM327	1800	590	450	820	460
UM327S	700	590	450	820	460

BENITO

info@benito.com
tel. 93 852 1000

Bench **Minsk** UM327



Materials & Finishes:

Ductile Iron treated with FERRUS: iron protection process that ensures optimal corrosion resistance. The Ferrus treatment consists of three layers applied after cleaning all dirt and impurities using shot blasting, involving an electrolytic bath followed by an epoxy primer and a final coating of polyester powder paint.Forged black colour

Hardwood treated with LIGNUS: Wood from responsible forestry. Density greater than 930kg/m³, at 12% humidity, treated with a triple-layer LIGNUS coating, fungicide, insecticide, and water-repellent that provides protection against moisture penetration. Final finish with a layer of natural pigment in a satin finish, which provides additional protection against UV rays, the main cause of deterioration in this type of material.

GRAFUS anti-graffiti protection (optional): Material protector against paints and markings that not only protects urban furniture but also restores its initial appearance, enhancing and facilitating cleaning. Meets cleaning requirements according to ASTM D6578. Withstands multiple cleaning cycles. Excellent chemical resistance (solvents, acids, bases), scratch resistance, and yellowing resistance. Strong adhesion on various paint substrates.

Downloads: *Maintenance guide* | *Project sheet* | *CAD* | *Certificate* | *Mounting instructions* | *BIM*



